



FEEL THE SW DIFFERENCE®

COMFORT AND DEXTERITY FOR EVERYDAY HAND PROTECTION.



TF-050-095-ECO/BAL-RB/BK
POWDER-FREE ECOTEK® BIODEGRADABLE NITRILE
SINGLE-USE GLOVES WITH BREACH ALERT™


VALUE AND PERFORMANCE HAND PROTECTION FOR LAB, LIFE SCIENCE AND INDUSTRIAL ENVIRONMENTS

- Breach Alert™ Visual Detection Technology provides durable 2-ply construction and contrasting inner color
- EcoTek® Biodegradability Technology accelerates landfill breakdown without any performance loss*
- Silicone-free for critical environments
- Exceeds 1.5 AQL laboratory standards
- SHA Dermatologically Approved

Touchscreen compatibility

Fully textured surface for wet and dry grip

Tear-resistant beaded cuff for easy donning



TF TF-050-095-ECO/BAL-RB/BK

WEIGHT	LENGTH	THICKNESS	COLOR
5.0g (large size)	9.5"	3.1 mil	ROYAL BLUE / BLACK

EcoTek® Breach Alert™

EcoTek® BreachAlert™



SW®
33278 Central Avenue, Unit 102, Union City, CA 94587, USA
Tel: +1.510.429.8692 | Fax: +1.510.487.5347
Trademarks and registered trademarks are the property of SW® and its affiliates.
©2020 SW®. All rights reserved.



*Under test method ASTM D5526-12, a standard test method for determining anaerobic biodegradation of plastics in accelerated landfill conditions. Current biodegradation results do not predict future results.

TECHNICAL DATA



TF-050-095-ECO/BAL-RB/BK
POWDER-FREE ECOTEK® BIODEGRADABLE NITRILE
SINGLE-USE GLOVES WITH BREACH ALERT™

PRODUCT DESCRIPTION

SPECIFICATIONS

PRODUCT	TrueForm®
GRADE	Powder-Free
MATERIAL	Nitrile
THICKNESS FINGER	4.7mil 0.12mm
PALM	3.1mi 0.08mm
COLOR OUTER	Royal Blue
INNER	Black
SURFACE	Textured
LENGTH	9.5" 242mm
WEIGHT	5.0g
FIT TYPE	Ambidextrous
CUFF TYPE	Beaded
WATERTIGHT AQL	1.5
ORIGIN COUNTRY	Malaysia

PHYSICAL PROPERTIES

	PRE-AGING	POST-AGING
TENSILE STRENGTH:	14 MPA	14 MPA
ELONGATION:	500%	400%

INTEGRATED TECHNOLOGIES

ECOTEK® Biodegradability Technology: 92.6% biodegradable in 2.5 years. ASTM D5526-12 test results do not predict future biodegradation.*


BREACH ALERT™ Visual Detection Technology: provides durable 2-ply construction and contrasting inner color



* Specifications based on size Large glove

STANDARDS & CERTIFICATIONS

EN 420:2003 FDA 21 CFR 177.2600
 EU 2016/425 Component materials
 CAT III COMPLEX DESIGN comply with FDA regulations for food contact



Please visit swsafety.com/symbols for information on standards used on this document.

ORDERING

ITEM NO.	SIZE	PALM WIDTH	PACKAGING
N301831	XS 5½ – 6	3.0" 75mm	100 gloves per box 10 boxes per case
N301832	S 6½ – 7	3.3" 85mm	100 gloves per box 10 boxes per case
N301833	M 7½ – 8	3.7" 95mm	100 gloves per box 10 boxes per case
N301834	L 8½ – 9	4.1" 105mm	100 gloves per box 10 boxes per case
N301835	XL 9½ – 10	4.5" 115mm	100 gloves per box 10 boxes per case
N301836	2XL 10½ – 11	4.9" 125mm	100 gloves per box 10 boxes per case

APPLICATIONS

- Chemical Handling
- Dental
- Food Handling and Packaging
- Janitorial Maintenance
- Painting
- Veterinary

Keep out of sunlight. Store in a cool, dry place. Keep away from sources of ozone or ignition.



R_N30134X0320

*Under test method ASTM D5526-12, a standard test method for determining anaerobic biodegradation of plastics in accelerated landfill conditions. Current biodegradation results do not predict future results.